

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4321	"delphi technologies"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 09:10
S2	28	S1 and 73/862\$4.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 11:49
S3	1378	(steering near4 wheel) near4 (position near4 (sens\$4 detect\$\$ indicat\$4 monitor\$5 gage gauge transducer))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 11:53
S4	59	S3 and ((ring gear) near4 (cover\$4 lid top plate shield protect\$4))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 11:57
S5	265	((steering near4 wheel) near4 (position near4 (sens\$4 detect\$\$ indicat\$4 monitor\$5 gage gauge transducer))).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 11:53
S6	12	S5 and ((ring gear) near4 (cover\$4 lid top plate shield protect\$4))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 12:45
S7	9	S5 and ((ring gear) near4 (cover\$4 lid plate shield protect\$4))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 14:08
S8	2	S5 and ((ring gear) near4 (cover\$4 lid plate shield protect\$4)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 12:46
S9	12121	(steering near4 (device apparatus wheel assembly system)) near4 (sens\$4 detect\$4 indicat\$4 monitor\$4 gage gauge transducer)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 14:09
S10	2523	((steering near4 (device apparatus wheel assembly system)) near4 (sens\$4 detect\$4 indicat\$4 monitor\$4 gage gauge transducer)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 14:10
S11	796	((steering near4 (device apparatus wheel assembly system)) near4 (sens\$4 detect\$4 indicat\$4 monitor\$4 gage gauge transducer)).ti.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 14:11
S12	158	S9 and ((gear ring) near4 (shield protect\$5 cover\$4))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 16:45
S13	25	S9 and ((gear ring) near4 (shield protect\$5 cover\$4)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 14:11
S14	10	S10 and ((gear ring) near4 (shield protect\$5 cover\$4)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 14:38
S15	2	S11 and ((gear ring) near4 (shield protect\$5 cover\$4)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 14:12
S16	14	S12 and 73/862\$5.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 14:19

S17	237	S9 and ((two second) near3 gear).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 10:04
S18	11	S17 and ((gear ring) near4 (shield plate protect\$4 cover\$5)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/06 16:47

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("6458914" "6443020" "6400142").pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 09:10
L2	41821	(position near4 (sensor detector indicator monitor transducer gage gauge)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 13:01
L3	862	2 and ((two second auxiliary plurality) near4 gear).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 13:05
L4	7	3 and (ring near4 (shield plate protect\$4 cover wall)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 10:13
L5	21	3 and ((ring and gear) near4 (shield carrier cover wall)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 12:15
L6	78	3 and ((ring gear) near4 (shield carrier cover wall)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 10:14
L7	1	6 and 73/862\$5.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 10:22
L8	6	("4524643" "4885959" "6354395" "6408707" "6523431" "6557425").pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 10:23
L9	0	position near4 (sensor detector) near4 (ring near3 (shield)) near4 gear\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 12:16
L10	1	position near4 (sensor detector) near4 (ring near3 (shield))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 12:18
L11	13	("5705755" "5762579" "5773947" "5791204" "5808250" "5818358" "5823905" "5875588" "2547475" "3321992" "4938327" "2403094").pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 12:53
L12	3	gear near6 (ring near4 shield) near6 (plate disc disk cover lid)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 12:55
L13	1831	(position near4 (sensor detector indicator monitor transducer gage gauge)) near4 steering	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 12:56
L14	371	((position near4 (sensor detector indicator monitor transducer gage gauge)) near4 steering).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 12:56
L15	1	13 and (ring near4 shield)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 12:58
L16	0	14 and (ring near4 shield).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 12:57

L17	40	13 and (ring near4 (plate disc disk cover shield))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 12:58
L18	5	14 and (ring near4 (plate disc disk cover shield)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 13:04
L19	4	18 and gear	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 12:58
L20	1	"4678908".PN.	USPAT; USOCR	OR	OFF	2005/01/07 13:01
L21	1	"4680466".PN.	USPAT; USOCR	OR	OFF	2005/01/07 13:01
L22	48416	((position angle) near4 (sensor detector indicator monitor transducer gage gauge)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 13:02
L23	1267	((position angle) near4 (sensor detector indicator monitor transducer gage gauge)) near4 steering).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 13:02
L24	364	((position angle) near4 (sensor detector indicator monitor transducer gage gauge)) near4 steering).ti.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 13:02
L25	5	24 and (ring near4 (plate disc disk cover shield)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 13:04
L26	5	24 and 73/862\$5.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 13:05
L27	9	24 and ((two second auxiliary plurality) near4 gear).clm.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 13:09
L28	1	"4417775".PN.	USPAT; USOCR	OR	OFF	2005/01/07 13:19
L29	1	"4422699".PN.	USPAT; USOCR	OR	OFF	2005/01/07 13:20
L30	1	"4540223".PN.	USPAT; USOCR	OR	OFF	2005/01/07 13:20